



東京都千代田区丸の内 1-1-1 パレスビル 〒100-8251
Palace Building, 1-1, Marunouchi 1-chome, Chiyoda-ku, Tokyo 100-8251

June 22, 2015

Announcement on the change of UN number for AQUAMICRON

Dear valued customers,

As a consequence of reviewing of the conformity of UN number for AQUAMICRON, we have decided to change the description as in the following table:

Product and Manufacturing Lot	UN Number	Proper Shipping Name	Class(Sub-risk) and Packing Group
Aquamicron AXI	Until A15041 (-Jan. 2015)	1230	Methanol mixture 3(6.1) PGII
	From B15042 (Feb. 2015-)	1992	Flammable liquid, toxic, n.o.s.(Methanol mixture) (Same as above)
	Planned (Oct.2015-)	2924	Flammable liquid, corrosive, n.o.s.(Methanol /Imidazole mixture) 3(8) PGII
Aquamicron CXU	Until D15502 (-Apr. 2015)	1230	Methanol mixture 3(6.1) PGII
	From E15503 (May 2015-)	1993	Flammable liquid, n.o.s. (Methanol/Ethyleneglycol mixture) 3 PGII

*There is nothing difference in composition or the quality at all.

Please notify this change to your related section. Thank you for your business.

Sincerely yours,

Tetsutaro Kiya
Senior Manager of Marketing
Specialty Chemicals Department 2
Performance Products Division